

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

F.No. South-West/1-2812174395/2016/EOA

Date: 25-Apr-2016

To,

The Principal Secretary (Hr. & Tech Education) Govt. of Karnataka, K. G.S., 6th Floor, M.S. Building, R. N. 645, Dr. B. R. Ambedkar Road, Bangalore-560001

Sub: Extension of approval for the academic year 2016-17

Ref: Application of the Institution for Extension of approval for the academic year 2016-17

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2012 notified by the Council vide notification number F-No.37-3/Legal/2012 dated 27/09/2012 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Regional Office	South-West	Application Id	1-2812174395
Name of the Institute	CMR INSTITUTE OF TECHNOLOGY	Permanent Id	1-10082920
Name of the Society/Trust	CMR JNANADHARA TRUST,	Institute Address	# 132, KUNDALAHALLI VILLAGE IT PARK ROAD BANGALORE - 560 037, BANGALORE, BANGALORE URBAN, Karnataka, 560037
Institute Type	Unaided - Private	Society/Trust Address	CA NO 2, III C CROSS, 6TH A MAIN ROAD, II BLOCK,HRBR LAYOUT, KALYAN NAGAR,,BANGALORE,BANGALORE URBAN,Karnataka,560043

Opted for change from Women to Co-ed and Vice versa	No	Opted for change of name	No	Opted for change of site	No
Change from Women to Co-ed approved and Vice versa	Not Applicable	Change of name Approved	Not Applicable	Change of site Approved	Not Applicable

To conduct following courses with the intake indicated below for the academic year 2016-17

Application Id: 1	-2812174	1395	Course	ime	Affiliating Body	5-16	Approved for 7	val status	/ Gulf quota status	rion/Twining Approval
Program	Shift	Level		Full/Part T		Intake 201	Intake App 2016-17	NRI Approval	PIO / FN / Approval s	Foreign Collaborarion/ Program Appro status
ENGINEERIN G AND TECHNOLO	1st Shift	POS T GRA DUA	COMPUTER NETWORKING	FULL TIME	Vesveswaraiah Technological University, Belgaum	18	18	NA	NA	NA

Application Number: 1-2812174395

Note: This is a Computer generated Report.No signature is required.

Page 1 of 4 Letter Printed On:3 May 2016



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

GY		TE								
ENGINEERIN G AND TECHNOLO GY	1st Shift	POS T GRA DUA TE	COMPUTER SCIENCE & ENGINEERING	FULL TIME	Vesveswaraiah Technological University, Belgaum	24	24	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	POS T GRA DUA TE	DIGITAL COMMUNICATI ON	FULL TIME	Vesveswaraiah Technological University, Belgaum	18	18	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	POS T GRA DUA TE	MACHINE DESIGN	FULL TIME	Vesveswaraiah Technological University, Belgaum	18	18	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	POS T GRA DUA TE	VLSI	FULL TIME	Vesveswaraiah Technological University, Belgaum	24	24	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	CIVIL ENGINEERING	FULL TIME	Vesveswaraiah Technological University, Belgaum	120	120	NA	Yes	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	COMPUTER SCIENCE & ENGINEERING	FULL TIME	Vesveswaraiah Technological University, Belgaum	180	180	NA	Yes	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	ELECTRICAL AND ELECTRONICS ENGINEERING	FULL TIME	Vesveswaraiah Technological University, Belgaum	120	120	NA	Yes	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	ELECTRONICS & COMMUNICATI ON ENGG	FULL TIME	Vesveswaraiah Technological University, Belgaum	240	240	NA	Yes	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	INFORMATION SCIENCE AND ENGINEERING	FULL TIME	Vesveswaraiah Technological University, Belgaum	120	120	NA	Yes	NA
	1st	UND	MECHANICAL	FULL	Vesveswaraiah	120	120	NA	Yes	NA



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

ENGINEERIN G AND TECHNOLO GY	Shift	ER GRA DUA TE	ENGINEERING	TIME	Technological University, Belgaum					
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	TELECOMMUNI CATION ENGINEERING	FULL TIME	Vesveswaraiah Technological University, Belgaum	120	60	NA	Yes	NA

The above mentioned approval is subject to the condition that CMR INSTITUTE OF TECHNOLOGY shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

Course(s) Applied for Closure by the Institute for the AY 2016-17:

Application Id: 1	Application Id: 1-2812174395		Name of the Course	Full/Part Time	Affiliating Body	Course Closure Status
Program	Shift	Level				
ENGINEE RING AND TECHNOL OGY	1st Shift	POST GRADUAT E	DIGITAL ELECTRONICS AND COMMUNICATI ON ENGINEERING : (Last Approved Intake 18)	FULL TIME	Vesveswaraiah Technological University, Belgaum	Pending ^s

^{\$} due to non submission of NOC's from University / Board and / or State Government

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

Note: Validity of the course details may be verified at www.aicte-india.org

Dr. Avinash S Pant Vice - Chairman, AICTE

Copy to:

1. The Regional Officer,

All India Council for Technical Education Health Centre Building Bangalore University Campus Bangalore - 560 009, Karnataka

2. The Director Of Technical Education,

Karnataka

Application Number: 1-2812174395 Note: This is a Computer generated Report.No signature is required. Printed By: ae3294801 Page **3** of **4** Letter Printed On:3 May 2016



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 <u>www.aicte-India.org</u>

3. The Registrar,

Vesveswaraiah Technological University, Belgaum

4. The Principal / Director,

CMR INSTITUTE OF TECHNOLOGY # 132, KUNDALAHALLI VILLAGE IT PARK ROAD BANGALORE - 560 037, BANGALORE,BANGALORE URBAN, Karnataka,560037

5. The Secretary / Chairman,

CMR JNANADHARA TRUST, CA NO 2, III C CROSS, 6TH A MAIN ROAD, II BLOCK,HRBR LAYOUT, KALYAN NAGAR,, BANGALORE,BANGALORE URBAN, Karnataka,560043

6. Guard File(AICTE)

Application Number: 1-2812174395 Note: This is a Computer generated Report.No signature is required. Printed By: ae3294801



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

F.No. South-West/1-2811878800/2016/EOA

Date: 05-Apr-2016

To,

The Principal Secretary (Hr. & Tech Education) Govt. of Karnataka, K. G.S., 6th Floor, M.S. Building, R. N. 645,Dr. B. R. Ambedkar Road, Bangalore-560001

Sub: Extension of approval for the academic year 2016-17

Ref: Application of the Institution for Extension of approval for the academic year 2016-17

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2012 notified by the Council vide notification number F-No.37-3/Legal/2012 dated 27/09/2012 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Regional Office	South-West	Application Id	1-2811878800
Name of the Institute	CMR INSTITUTE OF TECHNOLOGY	Permanent Id	1-17754191
Name of the Society/Trust	CMR JNANADHARA TRUST	Institute Address	132, BEHIND AECS LAYOUT, IT PARK ROAD BANGALORE - 560037, BANGALORE, BANGALORE URBAN, Kamataka, 560037
Institute Type	Unaided - Private	Society/Trust Address	2, 3 'C' CROSS, II BLOCK, HRBR LAYOUT, KALYAN NAGAR,,BANGALORE,BANGALORE URBAN,Karnataka,560043

Opted for change from Women to Co-ed and Vice versa	No	Opted for change of name	No	Opted for change of site	No
Change from Women to Co-ed approved and Vice versa	Not Applicable	Change of name Approved	Not Applicable	Change of site Approved	Not Applicable

To conduct following courses with the intake indicated below for the academic year 2016-17

Application Id: 1 Program			Course	Full/Part Time	Affiliating Body	Intake 2015-16	Intake Approved for 2016-17	NRI Approval status	PIO / FN / Gulf quota Approval status	Foreign Collaborarion/Twining Program Approval status
MANAGEME NT	1st Shift	POS T GRA DUA	MASTERS IN BUSINESS ADMINISTRATI ON	FULL TIME	Vesveswaraiah Technological University, Belgaum	120	120	NA	NA	NA

Application Number: 1-2811878800 Note: This is a Computer generated Report.No signature is required.

Page **1** of **2** Letter Printed On:12 May 2016

Printed By : ae15754171



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

	TE				

The above mentioned approval is subject to the condition that CMR INSTITUTE OF TECHNOLOGY shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

Note: Validity of the course details may be verified at www.aicte-india.org

Dr. Avinash S Pant Vice - Chairman, AICTE

Page 2 of 2

Letter Printed On:12 May 2016

Copy to:

The Regional Officer,

All India Council for Technical Education Health Centre Building Bangalore University Campus Bangalore - 560 009, Karnataka

2. The Director Of Technical Education,

Karnataka

3. The Registrar,

Vesveswaraiah Technological University, Belgaum

The Principal / Director,

CMR INSTITUTE OF TECHNOLOGY 132, BEHIND AECS LAYOUT, IT PARK ROAD BANGALORE - 560037, BANGALORE, BANGALORE URBAN, Karnataka,560037

The Secretary / Chairman,

CMR JNANADHARA TRUST 2, 3 'C' CROSS, II BLOCK, HRBR LAYOUT, KALYAN NAGAR,, BANGALORE, BANGALORE URBAN, Karnataka,560043

Guard File(AICTE)

Note: This is a Computer generated Report.No signature is required. Printed By: ae15754171

Application Number: 1-2811878800



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

F.No. South-West/1-2812173871/2016/EOA

Date: 05-Apr-2016

To,

The Principal Secretary (Hr. & Tech Education) Govt. of Karnataka, K. G.S., 6th Floor, M.S. Building, R. N. 645,Dr. B. R. Ambedkar Road, Bangalore-560001

Sub: Extension of approval for the academic year 2016-17

Ref: Application of the Institution for Extension of approval for the academic year 2016-17

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2012 notified by the Council vide notification number F-No.37-3/Legal/2012 dated 27/09/2012 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Regional Office	South-West	Application Id	1-2812173871
Name of the Institute	CMR INSTITUTE OF TECHNOLOGY	Permanent Id	1-16515264
Name of the Society/Trust	CMR JNANADHARA TRUST	Institute Address	132, AECS LAYOUT KUNDALAHALLI IT PARK ROAD, BANGALORE, BANGALORE URBAN, Kamataka, 560037
Institute Type	Unaided - Private	Society/Trust Address	#2, 3RD 'C' CROSS, 6TH MAIN, BRBR LAYOUT, KALYAN NAGAR,,BANGALORE,BANGALORE URBAN,Karnataka,560043

Opted for change from Women to Co-ed and Vice versa	No	Opted for change of name	No	Opted for change of site	No
Change from Women to Co-ed approved and Vice versa	Not Applicable	Change of name Approved	Not Applicable	Change of site Approved	Not Applicable

To conduct following courses with the intake indicated below for the academic year 2016-17

	Id: 1-2812173871		Course	Full/Part Time	Affiliating Body	Intake 2015-16	Intake Approved for 2016-17	tl Approval status	PIO / FN / Gulf quota Approval status	Foreign Collaborarion/Twining Program Approval status
MCA	1st Shift	POS T GRA DUA	MASTERS IN COMPUTER APPLICATIONS	FULL TIME	Vesveswaraiah Technological University, Belgaum	120	120	NA	NA NA	NA CC Str

Application Number: 1-2812173871

Note: This is a Computer generated Report.No signature is required.

Page 1 of 2 Letter Printed On:21 May 2016

Printed By : ae4364294



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

	TE				

The above mentioned approval is subject to the condition that CMR INSTITUTE OF TECHNOLOGY shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

Note: Validity of the course details may be verified at www.aicte-india.org

Dr. Avinash S Pant Vice - Chairman, AICTE

Copy to:

1. The Regional Officer,

All India Council for Technical Education Health Centre Building Bangalore University Campus Bangalore - 560 009, Karnataka

2. The Director Of Technical Education,

Karnataka

3. The Registrar,

Vesveswaraiah Technological University, Belgaum

4. The Principal / Director,

CMR INSTITUTE OF TECHNOLOGY 132, AECS LAYOUT KUNDALAHALLI IT PARK ROAD, BANGALORE,BANGALORE URBAN, Karnataka,560037

5. The Secretary / Chairman,

CMR JNANADHARA TRUST #2, 3RD 'C' CROSS, 6TH MAIN, BRBR LAYOUT, KALYAN NAGAR,, BANGALORE,BANGALORE URBAN, Karnataka,560043

6. Guard File(AICTE)

Application Number: 1-2812173871 Note: This is a Computer generated Report.No signature is required. Printed By: ae4364294